Plant Molecular Biology **29**: 1313–1321, 1996.

Contents of Volume 29

Vol. 29 No. 1 October 1995

Research articles

Phenotypic alterations of petal and sepal by ectopic expression of a rice MADS box gene in tobacco 1–10
H.-G. Kang, Y.-S. Noh, Y.-Y. Chung, M.A. Costa, K. An, G. An

An unusual Group 2 LEA gene family in citrus responsive to low temperature 11–23
Q. Cai, G.A. Moore, C.L. Guy

Evidence for some common signal transduction events for opposite regulation of nitrate reductase and phytochrome-I gene expression by light 25–35
N. Raghuram, S.K. Sopory

Isolation and characterization of six heat shock transcription factor cDNA clones from soybean 37–51
E. Czarnecka-Verner, C.-X. Yuan, P.C. Fox, W.B. Gurley

Mutations in the processing site of the precursor of ribulose-1,5-bisphosphate carboxylase/oxygenase small subunit: effects on import, processing, assembly and stability 53–61
M. Levy, Z. Adam

Two copies of a DNA element, 'Wendy', in the chloroplast chromosome of *Chlamydomonas reinhardtii* between rearranged gene clusters 63–80
W.-H. Fan, M.A. Woelfle, G. Mosig

Homologues of a vacuolar processing enzyme that are expressed in different organs in *Arabidopsis thaliana* 81–89
T. Kinoshita, M. Nishimura, I. Hara-Nishimura

Isolation of a novel *Arabidopsis* ozone-induced cDNA by differential display 91–98
Y.K. sharma, K.R. Davis

Site-directed mutagenesis of the enhancer region of the *780* gene promoter of T-DNA 99–108
K. O'Grady, W.B. Gurley

Multiple cDNAs of wheat voltage-dependent anion channels (VDAC): Isolation, differential expression, mapping and evolution 109–124
A. Elkeles, K.M. Devos, D. Graur, M. Zizi, A. Breiman

Rice scutellum induces *Agrobacterium tumefaciens vir* genes and T-strand generation 125–133
K. Vijayachandra, K. Palanichelvam, K. Veluthambi

Molecular study of a light-harvesting apoprotein of *Giraudyopsis stellifer* (Chrysophyceae) 135–148
C. Passaquet, C. Lichtl

Field trial analysis of nitrate reductase co-suppression: a comparative study of 38 combinations of transgene loci 149–159
J.-C. Palauqui, H. Vaucheret

Short communications

Analysis of *Arabidopsis* cDNA that shows homology to the tomato E8 cDNA 161–166
S.M. Trentmann, H. Kende

The unusual 5' splicing border GC is used in myrosinase genes of the Brassicaceae 167–171
J. Xue, L. Rask

Characterisation of *HEVER*, a novel stress-induced gene from *Hevea brasiliensis* 173–178
S. Sivasubramaniam, V.M. Vanniasingham, C.-T. Tan, N.-H. Chua

The *Tokumasu* radish mitochondrial genome contains two complete *atp9* reading frames 179–185
M. Albaum, R. Lührs, J. Trautner, W.O. Abel

Sequence announcements 187–188

Volume 29 No. 2 October 1995

Research articles

Organization of soybean chalcone synthase gene clusters and characterization of a new member of the family 189–199
S. Akada, S.K. Dube

Antisense suppression of *S*-RNase expression in *Nicotiana* using RNA polymerase II- and III-transcribed gene constructs 201–212
J. Murfett, J.E. Bourque, B.A. McClure

A salinity-induced gene from the halophyte *M. crystallinum* encodes a glycolytic enzyme, cofactor-independent phosphoglyceromutase 213–226
N.R. Forsthoefel, D.M. Vernon, J.C. Cushman

Several distinct genes encode nearly identical 16 kDa proteolipids of the vacuolar H+-ATPase from *Arabidopsis thaliana* 227–244
I.Y. Perera, X. Li, H. Sze

Mitochondrial genome diversity in soybean: repeats and rearrangements 245–254
C.A. Moeykens, S.A. Mackenzie, R.C. Shoemaker

Cell cycle regulation during growth-dormancy cycles in pea axillary buds 255–265
M.L. Devitt, J.P. Stafstrom

Identification of a cDNA that encodes a 1-acyl-*sn*-glycerol-3-phosphate acyltransferase from *Limnanthes douglasii* 267–278
A.P. Brown, C.L. Brough, J.T.M. Kroon, A.R. Slabas

A novel wound-inducible extensin gene is expressed early in newly isolated protoplasts of *Nicotiana sylvestris* 279–292
Y. Parmentier, A. Durr, J. Marbach, C. Hirsinger, M.-C. Criqui, J. Fleck, E. Jamet

Immunological evidence for accumulation of two high-molecular-weight (104 and 90 kDa) HSPs in response to different stresses in rice and in response to high temperature stress in diverse plant genera 293–301
A. Pareek, S.L. Singla, A. Grover

Post-translational processing of the highly processed, secreted periplasmic carbonic anhydrase of *Chlamydomonas* is largely conserved in transgenic tobacco 303–315
C.S. Roberts, M.H. Spalding

The *in vitro* assembly of the NADPH-protochlorophyllide oxidoreductase in pea chloroplasts 317–330
C. Dahlin, C. Sundqvist, M.P. Timko

Absence of PsaC subunit allows assembly of photosystem I core but prevents the binding of PsaD and PsaE in *Synechocystis* sp. PCC6803 331–342
J. Yu, L.B. Smart, Y.-S. Jung, J. Golbeck, L. McIntosh

Isolation and functional identification of a novel cDNA for astaxanthin biosynthesis from *Haematococcus pluvialis*, and astaxanthin synthesis in *Escherichia coli* 343–352
S. Kajiwara, T. Kakizono, T. Saito, K. Kondo, T. Ohtani, N. Nishio, S. Nagai, N. Misawa

Molecular comparison of carbonic anhydrase from *Flaveria* species demonstrating different photosynthetic pathways 353–365
M. Ludwig, J.N. Burnell

Abundance and half-life of the distinct oat phytochrome A3 and A4 mRNAs 367–377
D.C. Higgs, L.J. Barnes, J.T. Colbert

Short communcations

Isolation and expression pattern of a cDNA encoding a cathepsin B-like protease from *Nicotiana rustica* 379–384
A.J. Lidgett, M. Moran, K.A.L. Wong, J. Furze, M.J.C. Rhodes, J.D. Hamill

Evidence for the involvement of ethylene in the expression of specific RNAs during maturation of the orange, a non-climacteric fruit 385–390
J.M. Alonso, J. Chamarro, A. Granell

Structure and organization of two closely related low-temperature-induced *dhn/lea/rab*-like genes in *Arabidopsis thaliana* L. Heynh 391–395
B.V. Welin, Å. Olson, E.T. Palva

β-1,3-Glucanase is highly-expressed in laticifers of *Hevea brasiliensis* 397–402
M.-L. Chye, K.-Y. Cheung

Expression and *in vitro* targeting of a sunflower oleosin 403–410
P.J.E. Thoyts, M.I. Millichip, A.K. Stobart, W.T. Griffiths, P.R. Shewry, J.A. Napier

Corrigendum 411

Volume 29 No. 3 November 1995

Research Articles

Promoter analysis of the auxin-regulated tobacco glutathione *S*-transferase genes *Nt103-1* and *Nt103-35* 413–429
F. Droog, A. Spek, A. van der Kooy, A. de Ruyter, H. Hoge, K. Libbenga, P. Hooykaas, B. van der Zaal

Sugar-binding activity of pea (*Pisum sativum*) lectin is essential for heterologous infection of transgenic white clover hairy roots by *Rhizobium leguminosarum* biovar viciae 431–439
R.R. van Eijsden, C.L. Díaz, B.S. de Pater, J.W. Kijne

Athila*, a new retroelement from *Arabidopsis thaliana 441–452
T. Pélissier, S. Tutois, J.M. Deragon, S. Tourmente, S. Genestier, G. Picard

Isolation, chemical structures and biological activity of the lipo-chitin oligosaccharide nodulation signals from *Rhizobium etli* 453–464
L. Cárdenas, J. Domínguez, C. Quinto, I.M. López-Lara, B.J.J. Lugtenberg, H.P. Spaink, G.J. Rademaker, J. Haverkamp, J.E. Thomas-Oates

Induction of nodule primordia on *Phaseolus* and *Acacia* by lipo-chitin oligosaccharide nodulation signals from broad-host-range *Rhizobium* strain GRH2 465–477
I.M. López-Lara, K.M.G.M. van der Drift, A.A.N. van Brussel, J. Haverkamp, B.J.J. Lugtenberg, J.E. Thomas-Oates, H.P. Spaink

Expression of *Arabidopsis* cytosolic ascorbate peroxidase gene in response to ozone or sulfur dioxide 479–489
A. Kubo, H. Saji, K. Tanaka, N. Kondo

Identification of cDNA clones corresponding to two inducible nitrate reductase genes in soybean: analysis in wild-type and nr_1 mutant 491–506
S. Wu, Q. Lu, A.L. Kriz, J.E. Harper

Sequence and expression characteristics of three g-Box-binding factor cDNAs from *Brassica napus* 507–517
S. Waldmüller, G. Link

Functional analysis of a recently originating, atypical presequence: mitochondrial import and processing of GUS fusion proteins in transgenic tobacco and yeast 519–533
J. Huang, C.S. Levings, III

Cloning and properties of a rice gene encoding phenylalanine ammonia-lyase 535–550
Q. Zhu, T. Dabi, A. Beeche, R. Yamamoto, M.A. Lawton, C. Lamb

Differential accumulation of the transcripts of 22 novel protein kinase genes in *Arabidopsis thaliana* 551–565
F. Thümmler, M. Kirchner, R. Teuber, P. Dittrich

Novel aspects of the regulation of a cDNA (*Arf1*) from *Chlamydomonas* with high sequence identity to animal ADP-ribosylation factor 1 567–577
A.R. Memon, S. Hwang, N. Deshpande, G.A. Thompson, Jr., D.L. Herrin

A lectin and a lectin-related protein are the two most prominent proteins in the bark of yellow wood (*Cladrastis lutea*) 579–598
E.J.M. van Damme, A. Barre, V. Bemer, P. Rougé, F. van Leuven, W.J. Peumans

Tissue-specific and light-responsive regulation of the promoter region of the *Arabidopsis thaliana* chloroplast ω-3 fatty acid desaturase gene (*FAD7*) 599–609
T. Nishiuchi, T. Nakamura, T. Abe, H. Kodama, M. Nishimura, K. Iba

Molecular cloning, characterization and expression of an elongation factor 1α gene in maize 611–615
T. Berberich, K. Sugawara, M. Harada, T. Kusano

Tabulation of thirty-one putative new genes from cyanobacteria 617–620
A. Gupta, N.J. Robinson, P.J. Robinson

Short communications

The sequence surrounding the translation initiation codon of the pea plastocyanin gene increases translational efficiency of a reporter gene 621–626
C.A. Helliwell, J.C. Gray

Volume 29 No. 4 November 1995

Research articles

Senescence-induced expression of a homologue of Δ9 desaturase in rose petals 627–635
M. Fukuchi-Mizutani, K. Savin, E. Cornish, Y. Tanaka, T. Ashikari, T. Kusumi, N. Murata

Comparison of different constitutive and inducible promoters for the overexpression of transgenes in *Arabidopsis thaliana* 637–646
S. Holtorf, K. Apel, H. Bohlmann

Molecular cloning and expression analysis of peroxidase genes from wheat 647–662
M. Båga, R.N. Chibbar, K.K. Kartha

Genomic structure and expression of the pyruvate, orthophosphate dikinase gene of the dicotyledonous C_4 plant *Flaveria trinervia* (Asteraceae) 663–678
E. Rosche, P. Westhoff

Editing of the chloroplast *ndhB* encoded transcript shows divergence between closely related members of the grass family (Poaceae) 679–684
R. Freyer, C. López, R.M. Maier, M. Martín, B. Sabater, H. Kössel

Analysis of randomly isolated cDNAs from developing endosperm of rice (*Oryza sativa* L.): evaluation of expressed sequence tags, and expression levels of mRNAs 685–689
J. Liu, C. Hara, M. Umeda, Y. Zhao, T.W. Okita, H. Uchimiya

Members of a new family of DNA-binding proteins bind to a conserved *cis*-element in the promoters of α-*Amy2* genes 691–702
P.J. Rushton, H. Macdonald, A.K. Huttly, C.M. Lazarus, R. Hooley

Activity of single-stranded DNA endonucleases in mung bean is associated with cell division 703–710
G. Grafi, B.A. Larkins

The maize transcription factor Opaque-2 activates a wheat glutenin promoter in plant and yeast cells 711–720
M.J. Holdsworth, J. Muñoz-Blanco, M. Hammond-Kosack, V. Colot, W. Schuch, M.W. Bevan

Transcription, splicing and editing of plastid RNAs in the nonphotosynthetic plant *Epifagus virginiana* 721–733
S.C. Ems, C.W. Morden, C.K. Dixon, K.H. Wolfe, C.W. dePamphilis, J.D. Palmer

Differential ethylene-inducible expression of cellulase in pepper plants 735–747
L. Ferrarese, L. Trainotti, P. Moretto, P. Polverino de Laureto, N. Rascio, G. Casadoro

Functional analysis of linker insertions and point mutations in the α-*Amy2/54* GA-regulated promoter 749–758
J.W. Tregear, L.F. Primavesi, A.K. Huttly

The promoter of the *Vicia faba* L. VfENOD-GRP3 gene encoding a glycine-rich early nodulin mediates a predominant gene expression in the interzone II-III region of transgenic *Vicia hirsuta* root nodules 759–772
H. Küster, H.-J. Quandt, I. Broer, A.M. Perlick, A. Pühler

Molecular characterization and expression of alfalfa (*Medicago sativa* L.) flavanone-3-hydroxylase and dihydroflavonol-4-reductase encoding genes 773–786
B. Charrier, C. Coronado, A. Kondorosi, P. Ratet

A gibberellin-stimulated ubiquitin-conjugating enzyme gene is involved in α-amylase gene expression in rice aleurone 787–795
X. Chen, B. Wang, R. Wu

Functional characteristics of the maize RNA-binding protein MA16 797–807
M.A. Freire, M. Pagès

Evidence for the thiamine biosynthetic pathway in higher-plant plastids and its developmental regulation 809–821
F.C. Belanger, T. Leustek, B. Chu, A.L. Kriz

Cloning and characterization of differentially expressed genes in imbibed dormant and afterripened *Avena fatua* embryos 823–831
B. Li, M.E. Foley

Molecular cloning, characterization and expression analysis of isoforms encoding tonoplast-bound proton-translocating inorganic pyrophosphatase in tobacco 833–840
J. Lerchl, S. Köning, R. Zrenner, U. Sonnewald

Expression of heat shock factor and heat shock protein 70 genes during maize pollen development 841–856
D. Gagliardi, C. Breton, A. Chaboud, P. Vergne, C. Dumas

Short communications

Genomic organization and evolution of the soybean SB92 satellite sequence 857–862
M. Vahedian, L. Shi, T. Zhu, R. Okimoto, K. Danna, P. Keim

Unusual sequences of group 3 LEA mRNA inducible by maturation or drying in soybean seeds 863–868
Y.-i.C. Hsing, Z.-y. Chen, M.-d. Shih, J.-s. Hsieh, T.-y. Chow

Uridine, a cell division factor in pea roots 869–873
G. Smit, C.C. de Koster, J. Schripsema, H.P. Spaink, A.A. van Brussel, J.W. Kijne

Cloning of an *Arabidopsis thaliana* cDNA encoding cystathionine β-lyase by functional complementation in *Escherichia coli* 875–882
S. Ravanel, M.-L. Ruffet, R. Douce

Sequence announcement 883

Volume 29 No. 5 December 1995

Research articles

Regulation of expression of the cucumber isocitrate lyase gene in cotyledons upon seed germination and by sucrose 885–896
S.J. Reynolds, S.M. Smith

Transformation of *Synechococcus* with a gene for choline oxidase enhances tolerance to salt stress 897–907
P. Deshnium, D.A. Los, H. Hayashi, L. Mustardy, N. Murata

Production of the AVR9 elicitor from the fungal pathogen *Cladosporium fulvum* in transgenic tobacco and tomato plants 909–920
G. Honée, L.S. Melchers, V.G.A.A. Vleeshouwers, J.S.C. van Roekel, P.J.G.M. de Wit

Nuclear mutants of *Chlamydomonas reinhardtii* defective in the biogenesis of the cytochrome b_6f complex 921–932
N.J. Gumpel, L. Ralley, J. Girard-Bascou, F.-A. Wollman, J.H.A. Nugent, S. Purton

Light-dependent chlorophyll *a* biosynthesis upon *chlL* deletion in wild-type and photosystem I-less strains of the cyanobacterium *Synechocystis* sp. PCC 6803 933–945
Q. Wu, W.F.J. Vermaas

Organization and expression of the gene coding for the potassium transport system AKT1 of *Arabidopsis thaliana* 947–958
M. Basset, G. Conejero, M. Lepetit, P. Fourcroy, H. Sentenac

Characterization of tobacco plants expressing a bacterial salicylate hydroxylase gene 959–968
L. Friedrich, B. Vernooij, T. Gaffney, A. Morse, J. Ryals

The expression of an abundant transmitting tract-specific endoglucanase (Sp41) is promoter-dependent and not essential for the reproductive physiology of tobacco 969–982
G. Sessa, R. Fluhr

Transcription of tobacco phytochrome-A genes initiates at multiple start sites and requires multiple *cis*-acting regulatory elements 983–993
E. Adam, L. Kozma-Bognar, G. Dallmann, F. Nagy

Definition of constitutive gene expression in plants: the translation initiation factor 4A gene as a model 995–1004
T. Mandel, A.J. Fleming, R. Krähenbühl, C. Kuhlemeier

Molecular cloning, characterization and expression analysis of two catalase isozyme genes in barley 1005–1014
R.W. Skadsen, P. Schulze-Lefert, J.M. Herbst

Fine structure and function of the osmotin gene promoter 1015–1026
D. Liu, M.L. Narasimhan, Y. Xu, K.G. Raghothama, P.M. Hasegawa, R.A. Bressan

A simplified procedure for the subtractive cDNA cloning of photoassimilate-responding genes: isolation of cDNAs encoding a new class of pathogenesis-related proteins 1027–1038
K. Herbers, G. Mönke, R. Badur, U. Sonnewald

Functional analysis of isolated cpn 10 domains and conserved amino acid residues in spinach chloroplast co-chaperonin by site-directed mutagenesis 1039–1055
U. Bertsch, J. Soll

Isolation, expression, and evolution of the gene encoding mitochondrial elongation factor Tu in *Arabidopsis thaliana* 1057–1070
P. Kuhlman, J.D. Palmer

Divergent evolution of two plastid genes, *rbcL* and *atpB*, in a non-photosynthetic parasitic plant 1071–1079
P. Delavault, V. Sakanyan, P. Thalouarn

Short communications

Physical map and gene organization of the mitochondrial genome from the unicellular green alga *Platymonas (Tetraselmis) subcordiformis (Prasinophyceae)* 1081–1086
U. Kessler, K. Zetsche

Post-transcriptional regulation of bifunctional α-amylase/subtilisin inhibitor expression in barley embryos by abscisic acid 1087–1091
J.-H. Liu, R.D. Hill

Constitutive expression of small heat shock proteins in vegetative tissues of the resurrection plant *Craterostigma plantagineum* 1093–1099
J. Alamillo, C. Almoguera, D. Bartels, J. Jordano

Volume 29 No. 6 December 1995

Research articles

Differential regulation of polygalacturonase and pectin methylesterase gene expression during and after heat stress in ripening tomato (*Lycopersicon esculentum* Mill.) fruits 1101–1110
V. Kagan-Zur, D.M. Tieman, S.J. Marlow, A.K. Handa

Molecular evolution of duplicate copies of genes encoding cytosolic glutamine synthetase in *Pisum sativum* 1111–1125
E.L. Walker, N.F. Weeden, C.B. Taylor, P. Green, G.M. Coruzzi

Atypical phytochrome gene structure in the green alga *Mesotaenium caldariorum* 1127–1142
D.M. Lagarias, S.-H. Wu, J.C. Lagarias

The phytochrome gene family in tomato includes a novel subfamily 1143–1155
B.A. Hauser, M.-M. Cordonnier-Pratt, F. Daniel-Vedele, L.H. Pratt

A cDNA clone encoding an IgE-binding protein from *Brassica* anther has significant sequence similarity to Ca^{2+}-binding proteins 1157–1165
K. Toriyama, T. Okada, M. Watanabe, T. Ide, T. Ashida, H. Xu, M.B. Singh

Production of biologically active hirudin in plant seeds using oleosin partitioning 1167–1180
D.L. Parmenter, J.G. Boothe, G.J.H. van Rooijen, E.C. Yeung, M.M. Moloney

The macrophage-specific membrane protein Nramp controlling natural resistance to infections in mice has homologues expressed in the root system of plants 1181–1196
A. Belouchi, M. Cellier, T. Kwan, H.S. Saini, G. Leroux, P. Gros

The seed lectins of black locust (*Robinia pseudoacacia*) are encoded by two genes which differ from the bark lectin genes 1197–1210
E.J.M. van Damme, A. Barre, P. Rougé, F. van Leuven, W.J. Peumans

A non-photosynthetic ferredoxin gene is induced by ethylene in *Citrus* organs 1211–1221
J.M. Alonso, J. Chamarro, A. Granell

Molecular characterization of glyoxalase-I from a higher plant; upregulation by stress 1223–1233
J. Espartero, I. Sánchez-Aguayo, J.M. Pardo

Increased transcript levels of a methionine synthase during adhesion-induced activation of *Chlamydomonas reinhardtii* gametes 1235–1252
V. Kurvari, F. Qian, W.J. Snell

The GATA-binding protein CGF-1 is closely related to GT-1 1253–1266
G.R. Teakle, S.A. Kay

Repair mechanisms of UV-induced DNA damage in soybean chloroplasts 1267–1277
G.C. Cannon, L.A. Hedrick, S. Heinhorst

Cloning of the amphibolic Calvin cycle / OPPP enzyme D-ribulose-5-phosphate 3-epimerase (EC 5.1.3.1) from spinach chloroplasts: functional and evolutionary aspects 1279–1291
U. Nowitzky, R. Wyrich, P. Westhoff, K. Henze, C. Schnarrenberger, W. Martin

Short communcations

The maize *GapC4* promoter confers anaerobic reporter gene expression and shows homology to the maize anthocyanin regulatory locus *C1* 1293–1298
U. Köhler, M.-F. Liaud, R.R. Mendel, R. Cerff, R. Hehl

5'-Regulatory region of *Agrobacterium tumefaciens* T-DNA gene 6b directs organ-specific, wound-inducible and auxin-inducible expression in transgenic tobacco **1299–1304**
I.L. Bagyan, E.V. Revenkova, G.E. Pozmogova, A.S. Kraev, K.G. Skryabin

Sequence announcement **1305**

Erratum **1307**

Instructions to authors **1309–1312**

Contents of Volume 29 **1313–1321**

Author Index **1323–1325**